



TEST REPORT

Prepared for:

Dongguan onesport Technology Co., Ltd.
Room 101, Building 2, No. 6, East Second Street, Gedi Xinnan Road,
Nancheng Street, Dongguan City, Guangdong Province.China

Product: Electric Bicycle

Model Name: BK5, BK1, BK1-HW, 14F005, 14F004, J5BK2, BK3,
BK4, BK6, BK7, BK8, BK9, ONES1, ONES2, ONES3,
ONES4, ONES5, ONES6 ONES7, ONES8

Trade Name: N/A

Date of Test: From August 06, 2021 to August 12, 2021

Date of Report: August 16, 2021

Report Number: HK2108092379-1RR

Prepared by:

Shenzhen HUAK Testing Technology Co., LTD.
1-2/F.,BuildingB2,JunfengZhongchengZhizao Innovation Park,Heping,
Fuhai Street, Bao'an District, ShenzhenGuangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 2 of 15

Applicant: Dongguan onesport Technology Co., Ltd.
Address: Room 101, Building 2, No. 6, East Second Street, Gedi Xinnan Road, Nancheng Street, Dongguan City, Guangdong Province.China
Manufacture: Dongguan onesport Technology Co., Ltd.
Address: Room 101, Building 2, No. 6, East Second Street, Gedi Xinnan Road, Nancheng Street, Dongguan City, Guangdong Province.China

The following sample was submitted and identified by/on behalf of the client as:

Sample Name: Electric Bicycle
Model No.: BK5, BK1, BK1-HW, 14F005, 14F004, J5BK2, BK3, BK4, BK6, BK7, BK8, BK9, ONES1, ONES2, ONES3, ONES4, ONES5, ONES6 ONES7, ONES8
Brand Name: N/A
Tested Age Grade: N/A
Labeled Age Grading: N/A
Appropriate Age Grade: N/A
Sample Receiving Date: August 06, 2021
Testing Period: From August 06, 2021 to August 12, 2021
Results: Please refer to next page(s).

Signed for and on behalf of HUAKE

Approved by: _____
Lab Manager

Remark: Only selected materials were tested as per client's requirement.



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 3 of 15

Summary of Test Results:

TEST REQUEST

- A As specified in title 16, code of federal regulations, chapter II- consumer products safety commission of U.S.A
 - 1. 16 CFR 1500.50.51.52.53 Simulating use and abuse of toys
 - 2. 16 CFR 1512 Requirements For Bicycles
- B US Consumer Products Safety Improvement Act of 2008(H. R. 4040) title 1, section 101 for total lead content in substrate
- C Consumer Product Safety Commission 16 CFR Ch. II Part 1303 - Ban of lead in paint and similar surface coating
- D US Consumer Products Safety Improvement Act of 2008(H. R. 4040) title 1, section 108 requirement on phthalates content
- E CPSIA Section 103 Tracking Labels for Children's Products

CONCLUSION

- PASS
- PASS
- PASS
- PASS
- PASS



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 4 of 15

Results:

A.1 As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A

Section	Description	Result
16 CFR 1500.50.51.52.53	Normal use testing	Pass
	Abuse testing	
	Impact test(53b)	Pass
	Bite test	Pass
	Flexure test	Pass
	Torque test (53e)	Pass
	Tension test (53f)	Pass
	Compression test(53g)	Pass

-- NA = Not Applicable



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 5 of 15

A.2 16 CFR 1512 Requirements For Bicycles:

Section	Description	Result
1512.3	Requirements in general.	Pass
1512.4	Mechanical requirements.	
(a)	Assembly.	Pass
(b)	Sharp edges.	Pass
(c)	Integrity.	Pass
(d)	Attachment hardware.	Pass
(e)-(f)	[Reserved]	Pass
(g)	Excluded area.	Pass
(h)	[Reserved]	NA
(i)	Control cable ends.	Pass
(j)	Control cable abrasion.	Pass
1512.5	Requirements for braking system.	Pass
(a)	Braking system.	Pass
(b)	Handbrakes.	Pass
(1)	Stopping distance.	Pass
(2)	Hand lever access.	Pass
(3)	Grip dimension.	Pass
(4)	Attachment.	Pass
(5)	Operating force.	Pass
(6)	Pad and pad holders.	Pass
(7)	[Reserved]	Pass
(8)	Hand lever location.	Pass
(9)	Hand lever extensions.	Pass
(c)	Footbrakes.	Pass
(1)	Stopping distance.	Pass
(2)	Operating force.	Pass
(3)	Crank differential.	Pass
(4)	Independent operation.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAK Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 6 of 15

Section	Description	Result
(d)	Footbrakes and handbrakes in combination.	Pass
(e)	Sidewalk bicycles.	Pass
1512.6	Requirements for steering system.	Pass
(a)	Handlebar stem insertion mark.	Pass
(b)	Handlebar stem strength.	Pass
(c)	Handlebar.	Pass
(d)	Handlebar ends.	Pass
(e)	Handlebar and clamps.	Pass
1512.7	Requirements for pedals.	
(a)	Construction.	Pass
(b)	Toe clips.	Pass
(c)	Pedal reflectors.	Pass
1512.8	Requirements for drive chain.	Pass
1512.9	Requirements for protective guards.	
(a)	Chain guard.	Pass
(b)	Derailleur guard.	Pass
1512.10	Requirements for tires.	Pass
1512.11	Requirements for wheels.	
(a)	Spokes.	Pass
(b)	Alignment.	Pass
(c)	Rims.	Pass
1512.12	Requirements for wheel hubs.	
(a)	Locking devices.	Pass
(1)	Rear wheels.	Pass
(2)	Front wheels.	Pass
(b)	Quick-release devices.	Pass
(c)	Front hubs.	Pass
1512.13	Requirements for front fork.	Pass
1512.14	Requirements for fork and frame assembly.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAK Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 7 of 15

Section	Description	Result
1512.15	Requirements for seat.	
(a)	Seat limitations.	Pass
(b)	Seat post.	Pass
(c)	Adjustment clamps.	Pass
1512.16	Requirements for reflectors.	
(a)	Front, rear, and pedal reflectors.	Pass
(b)	Side reflectors.	Pass
(c)	Front reflector.	Pass
(d)	Rear reflector.	Pass
(e)	Pedal reflectors.	Pass
(f)	Side reflectors.	Pass
(g)	Reflector tests.	Pass
(h)	Retro reflective tire sidewalls.	Pass
(i)	Retro reflective rims.	Pass
1512.17	Other requirements.	
(a)	Road test.	Pass
(b)	Sidewalk bicycle proof test.	Pass
(c)	Ground clearance.	Pass
(d)	Toe clearance.	Pass
1512.18	Tests and test procedures.	
(a)	Sharp edge test. [Reserved]	Pass
(b)	[Reserved]	NA
(c)	Protective cap and end-mounted devices test.	Pass
(d)	Handbrake loading and performance test: (Ref. §1512. 5(b)).	Pass
(1)	Apparatus	Pass
(2)	Procedure.	Pass
(i)	Loading test procedure.	Pass
(ii)	Loading test criteria.	Pass
(iii)	Rocking test procedure.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAK Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 8 of 15

Section	Description	Result
(iv)	Rocking test criteria.	Pass
(v)	Performance test procedure.	Pass
(e)	Footbrake force and performance test. (Ref . §1512.5(c)(1)and(2))	Pass
(1)	Apparatus.	Pass
(2)	Force test.	Pass
(3)	Performance test.	Pass
(f)	Sidewalk bicycle footbrake force test.	Pass
(g)	Handlebar stem test.	Pass
(1)	Procedure.	Pass
(2)	Criteria.	Pass
(h)	Handlebar test. (Ref . § 1512.6(e))	Pass
(1)	Stem-to-fork clamp test.	Pass
(2)	Handlebar strength and clamp test.	Pass
(i)	Pedal slip test. [Reserved]	Pass
(j)	Rim test. (Ref . §§ 1512.10 and 1512.11(c))	Pass
(1)	Procedure.	Pass
(2)	Criteria.	Pass
(3)	Front hub retention test.(Ref . § 1512.12(c))	Pass
(k)	Fork and frame test. (Ref . §§ 1512.13 and 1512.14)	Pass
(1)	Fork test.	Pass
(2)	Fork and frame assembly test.	Pass
(l)	Seat adjustment clamps and load test. (Ref . § 1512.15(c)).	Pass
(1)	Procedure.	Pass
(2)	Criteria.	Pass
(m)	Reflector mount and alignment test. (Ref . § 1512.16 (c)and(d))	Pass
(1)	Procedure.	Pass
(2)	Criteria.	Pass
(i)	During test.	Pass
(ii)	Post test.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAK Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 9 of 15

Section	Description	Result
(n)	Reflector test (Ref. §1512.16(g))	Pass
(1)	Conditioning.	Pass
(i)	Warp age conditioning.	Pass
(ii)	Mechanical impact conditioning.	Pass
(iii)	Moisture conditioning.	Pass
(2)	Reflector performance test.	Pass
(o)	Reflective tire and rim test(Ref. § 1512.16(h)and (i))	Pass
(1)	Apparatus.	Pass
(2)	Procedure	Pass
(i)	Masking.	Pass
(ii)	Orientation.	Pass
(iii)	Measurement.	Pass
(iv)	Criteria.	Pass
(p)	Road test. (Ref. §§ 1512.15(c) and 1512.17(a))	Pass
(1)	Procedure.	Pass
(2)	Criteria.	Pass
(q)	Sidewalk bicycle proof test. (Ref. §§1512.15(c)and 1512. 17(b))	Pass
(1)	Procedure.	Pass
(r)	Abrasion test for retro reflective rims. (Ref .§ 1512.16(ii))	Pass
1512.19	Instructions and labeling.	
(a)	The instruction manual shall include at least the following:	
(1)	Operations and safety instructions describing operation of the brakes and gears, cautions concerning wet weather and night-time operation, and a guide for safe on-and-off road operation.	Pass
(2)	Assembly instructions for accomplishing complete and proper assembly.	Pass
(3)	Maintenance instructions for proper maintenance of brakes, control cables, bearing adjustments, wheel adjustments. lubrication, ref ectors, tires and handlebar and seat adjustments; should the manufacturer determine that such maintenance is beyond the capability of the consumer. Specifics regarding locations where such maintenance service can be obtained shall be included.	Pass



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 10 of 15

Section	Description	Result
(b)	A bicycle less than fully assembled and fully. adjusted shall have clearly displayed on any promotional display material and on the outside surface of the shipping carton the following: (1) A list of tools necessary to properly accomplish assembly and adjustment, (2) a drawing illustrating the minimum leg-length dimension of a rider and a method of measurement of this dimension.	Pass
(c)	The minimum leg-length dimension shall be readily understandable and shall be based on allowing no less than one inch of clearance between (1)the top tube of the bicycle and the ground plane and (2) the crotch measurement of the rider. A girl's style frame shall be specified in the same way using a corresponding boys' model as a basis.	Pass
(d)	(Reserved]	NA
(e)	Every bicycle subject to the requirements of this part 1512 shall bear a marking or label that is securely affixed on or to the frame of the bicycle in such a manner that the marking or label cannot be removed without being defaced or destroyed. The marking or label shall identify the name of the manufacturer or private I a bear and shall also bear some form of marking from which the manufacturer can identify the month and year of manufacture or from which the private labeler can identify the manufacturer and the month and year of manufacture. For purposes of this paragraph, the term manufacture means the completion by the manufacturer of a bicycle of those construction or assembly operations that are performed by the manufacturer before the bicycle is shipped from the manufacturer's place of production for sale to distributors, retailers, or consumers.	Pass
1512.20	Separability.	Pass

--NA= Not Applicable



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 11 of 15

Tested part(s):

Seq. no	Part(s) name	Seq. no	Part(s) name
1	Black plastic	5	Yellow plastic
2	Black metal	6	Black plastic
3	Black coating	7	Black coating
4	Black plastic		

B.US Consumer Products Safety Improvement Act of 2008(H.R. 4040)title 1, section 101fortotal lead content

Test method: With reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES).

Item	Unit	MDL	Results				Limit
			(1)	(2)	(3)	(4)	
Lead Content (Pb)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	100 mg/kg
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Results				Limit
			(5)	(6)	(7)	/	
Lead Content (Pb)	mg/kg	5	N.D.	N.D.	N.D.	/	100 mg/kg
Conclusion	/	/	Pass	Pass	Pass	/	/

C. Consumer Product Safety Commission 16 CFR Ch. II Part 1303 - Ban of lead in paint and similar surface coating

Test method: Lead in paint and other similar surface coatings: With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES).

Item	Unit	MDL	Results				Limit
			(2)	(3)	(7)	/	
Lead Content (Pb)	mg/kg	5	N.D.	N.D.	N.D.	/	90
Conclusion	/	/	Pass	Pass	Pass	/	/



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 12 of 15

D. US Consumer Products Safety Improvement Act of 2008(H.R. 4040)title 1,section 108requirementon phthalates content

Test method: With reference to CPSC-CH-C1001-09.4, by sol vent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Item	Unit	MDL	Results			Limit
			(1)	(3)	(4)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Bis-(2-ethylhexyl) Phthalate(DEHP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-isobutyl Phthalate (DIBP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Dicyclohexyl Phthalate (DCHP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-n-hexyl Phthalate (DHEXP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-n-pentyl Phthalates (DPENP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Conclusion	/	/	Pass	Pass	Pass	/

Item	Unit	MDL	Results			Limit
			(5)	(6)	(7)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Bis-(2-ethylhexyl) Phthalate(DEHP)	%	0.003	N.D.	N.D.	N.D.	0.1%
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-isobutyl Phthalate (DIBP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Dicyclohexyl Phthalate (DCHP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-n-hexyl Phthalate (DHEXP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Di-n-pentyl Phthalates (DPENP)	%	0.01	N.D.	N.D.	N.D.	0.1%
Conclusion	/	/	Pass	Pass	Pass	/

Note:

- N.D.=Not Detected or less thanMDL.
- MDL=Method Detection Limit.
- %=Percentage by weight.
- 0.1%=1000mg/kg, mg/kg=ppm.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAK Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 13 of 15

E. CPSIA Section 103 Tracking Labels for Children’s Products

Description	Result
a) Is the product intended for children under 12 years? If no, the section is not applicable.	Yes
b) Is the product under the exemption of marking on children’s product?	Not
1. Product is too small to be marked.	Not
2. Products stay with or be contained in their original packaging.	Not
3. Product is sold through a bulk vending machine.	Not
4. Physical mark would weaken or damage the product or impair its utility.	Not
5. Product surface would be impossible to mark permanently.	Not
6. Aesthetics of the product would be ruined by a mark.	Not
c) Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Pass
1) Name of the manufacturer or the name of the private labeler.	Yes
2) Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Yes
3) Date of production of the product, in a form of MM/YY or any other coding system.	Yes
4) Cohort information (including the batch, run number, or another identifying characteristic).	Yes
d) Is the label permanent after below permanency testing?	Pass

** Modified History **

Revision	Description	Issued Data	Remark
Revision 1.0	Initial Test Report Release	2021/08/16	Jason Zhou



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 14 of 15

Photograph of Sample



Product Name: Electric Bikes

Model No: BK5、BK6、BK7、BK8、BK9、ONES1、ONES2、ONES3、ONES4、ONES5、ONES6、ONES7、ONES8

Labeled Age Grading: 18+ years old

Date of Manufacturing: 2021.08.01

Batch No: S/N: BK56RL2021

Manufacturer: Dongguan onesport Technology Co., Ltd.

Address: Room 101, Building 2, No. 6, East Second Street, Gedi Xinnan Road, Nancheng Street, Dongguan City, Guangdong Province.

MADE IN CHINA



WARNING:

Assembled by an adult



TEST REPORT

Report No. : HK2108092379-1RR

Date: August 16, 2021

Page 15 of 15



WARNING

EN: PLEASE KEEP THIS BOX FOR AFTER SALES SERVICE. IN CASE OF RETURN YOU MUST USE THIS BOX OR THE RETURN REQUEST COULD BE REJECTED

FR: VEUILLEZ CONSERVER CETTE BOÎTE POUR LE SERVICE APRÈS-VENTE. EN CAS DE RETOUR, VOUS DEVEZ UTILISER CETTE BOÎTE OU LA DEMANDE DE RETOUR POURRAIT ÊTRE REJETÉE

ES: CONSERVE ESTA CAJA PARA EL SERVICIO POSTVENTA. EN CASO DE DEVOLUCIÓN DEBE UTILIZAR ESTA CAJA O LA SOLICITUD DE DEVOLUCIÓN PODRÍA SER RECHAZADA

DE: BITTE BEWAHREN SIE DIESE VERPACKUNG FÜR DEN NACHVERKAUFSDIENST AUF. IM FALLE EINER RÜCKSENDUNG MÜSSEN SIE DIESE VERPACKUNG VERWENDEN, DA SONST DIE RÜCKSENDEANFORDERUNG ABGELEHNT WERDEN KANN

NL: BEWAAR DEZE DOOS VOOR DE KLANTENSERVICE. IN GEVAL VAN RETOURNERING MOET U DEZE DOOS GEBRUIKEN OF HET RETOURVERZOEK KAN WORDEN GEWEIGERD

IT: SI PREGA DI CONSERVARE QUESTA SCATOLA PER IL SERVIZIO POST-VENDITA. IN CASO DI RESO DEVI UTILIZZARE QUESTA SCATOLA O LA RICHIESTA DI RESO POTREBBE ESSERE RESPINTA

HUAK authenticate the photo on original report only

*** End of Report ***

Remark: This report is considered invalidated without the Special Seal for Inspection of the HUAK. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of HUAK, this test report shall not be copied except in full and published as advertisement.